


## USER INSTRUCTIONS

Transmitters:  
T60TX-15DML, T60TX-15DML-US,  
T60TX-15SML

safe

smart

strong



---

**IMPORTANT! This document is intended for T60TX-15DML, T60TX-15DML-US, T60TX-15SML transmitters with base board TR383 and software versions SW0048-05v01 or higher (T60TX-15DML, T60TX-15DML-US) and SW0048-04v01 or higher (T60TX-15SML).**

©Tele-Radio i Lysekil AB

August Barks gata 30A

SE-421 32 Västra Frölunda

Sweden

Phone: +46 (0)31 748 54 60

---

---

## CONTENTS

<b>CHAPTER 1: INTRODUCTION</b> .....	<b>4</b>
1.1 About this document .....	5
1.2 About T60 transmitters .....	6
<b>CHAPTER 2: SAFETY</b> .....	<b>7</b>
2.1 Warnings & restrictions .....	7
<b>CHAPTER 2: TECHNICAL DATA</b> .....	<b>9</b>
2.2 Radio transmission .....	9
<b>CHAPTER 3: PRODUCT GENERAL DESCRIPTION</b> .....	<b>10</b>
3.1 T60TX-15DML, T60TX-15DML-US, T60TX-15SML transmitters .....	10
3.2 Program adjustable ID code with the code switch .....	12
<b>CHAPTER 4: BATTERY</b> .....	<b>13</b>
4.1 Battery precautions .....	13
4.2 Change the batteries .....	14
<b>CHAPTER 5: WARRANTY, SERVICE, REPAIRS, AND MAINTENANCE</b> .....	<b>15</b>
<b>CHAPTER 5: REGULATORY INFORMATION</b> .....	<b>16</b>
5.1 Europe .....	16
5.2 United Kingdom .....	17
5.3 North America .....	18
<b>ANNEX A: INDEX</b> .....	<b>20</b>

## CHAPTER 1: INTRODUCTION



**READ ALL INSTRUCTIONS AND WARNINGS CAREFULLY BEFORE OPERATING THE PRODUCTS.**

These User instructions have been published by Tele Radio and are not subject to any guarantees. The User instructions may be withdrawn or revised by Tele Radio at any time and without further notice. Corrections and updates will be added to the latest version of the manual. Always download the User instructions from our website, [www.tele-radio.com](http://www.tele-radio.com), for the latest available version. Keep the safety instructions for future reference.

Tele Radio remote controls are often built into wider applications. This documentation is not intended to replace the determination of suitability or reliability of the product for specific user applications and should not be used for this purpose. It is the responsibility of any such users or integrators to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use. Tele Radio shall not be responsible or liable for misuse of the information contained herein.

Always refer to the applicable local regulations for installation and safety requirements relating to cranes, hoists, material handling applications, lifting equipment, industrial machinery, and/or mobile hydraulic applications using Tele Radio products, e.g.:

- applicable local and industrial standards and requirements,
- applicable occupational health and safety regulations,
- applicable safety rules and procedures for the factory where the equipment is being used,
- user and safety manuals or instructions of the manufacturer of the equipment where Tele Radio remote control systems are installed.

Tele Radio User instructions do not include or address the specific instructions and safety warnings of the end product manufacturer.

For battery precautions, see "4.1 Battery precautions".

Tele Radio products are covered by a warranty against material, construction, or manufacturing faults. See "Chapter 5: Warranty, service, repairs, and maintenance".

## 1.1 About this document

Before installing or operating the product, read the corresponding documentation carefully.

Tele Radio's product range is composed of transmitters, receivers, and accessories intended for use together as a system.

These End user instructions cover general safety issues, main technical specifications, standard operating instructions and battery information. Images shown in this document are for illustrative purposes only.

Please report any error or omission in this document, as well as any improvement or amendment suggestion to [td@tele-radio.com](mailto:td@tele-radio.com).

### 1.1.1 TERM AND SYMBOL DEFINITIONS

The capitalized terms and symbol used herein shall have the following meaning:

- **WARNING:** indicates a hazardous situation which, if not avoided, could result in death or serious injury.
- **CAUTION:** indicates a hazardous situation which, if not avoided, will result in minor or moderate injury.
- **IMPORTANT:** is used for information that requires special consideration.
- **NOTE:** is used to address practices not related to physical injury.



This symbol is used to call attention to safety messages that would be assigned the signal words "WARNING" or "CAUTION".

## 1.2 About T60 transmitters

T60 transmitters have simplex communication and work in discontinuous mode

Perfect for control of doors, ports and gates in heavy industrial environments, and for mobile applications. Applications include winches, disability adaptations, doors, gates, barriers, conveyor belts, lighting and many more. Depending on receiver models, up to 500 transmitters can be programmed into one receiver.

T60TX transmitters are intended for application where several users/transmitters are required to control one and the same object or to allow control of numerous different objects (up to 1,000) using a single transmitter.

T60TX transmitters can be used together with both T20RX and T60RX receivers within the same frequency range.

## CHAPTER 2: SAFETY

### 2.1 Warnings & restrictions



**Carefully read through the following safety instructions before proceeding with the installation, configuration, operation, or maintenance of the product. Failure to follow these warnings could result in death or serious injury.**

This product must not be operated without having read and understood the User instructions, the specific technical documentation (for customized systems), and having received the appropriate training. The purchaser of this product has been instructed how to handle the system safely. The following information is intended for use as a complement to applicable local regulations and standards.

**IMPORTANT! Tele Radio remote controls are often built into wider applications.**

**These systems should be equipped with:**

- a wired emergency stop where necessary
- a brake
- an audible or visual warning signal

#### 2.1.1 OPERATION



**This radio system must not be used in areas where there is a risk of explosion.**



**This equipment is not suitable for use in locations where children are likely to be present.**



**Only qualified personnel should be permitted to access the transmitter and operate the equipment.**



- **Always follow operating and maintenance instructions as well as all applicable safety procedures and requirements.**
- **Do not open the receiver encapsulation unless you are qualified.**
- **You must satisfy the age requirements in your country for operating the equipment.**
- **It is strictly prohibited to operate the equipment under the influence of drugs, alcohol and/or medications.**
- **Never leave the transmitter unattended.**
- **Always switch the transmitter off when not in use. Store in a safe place.**
- **Keep a clear view of the work area at all times.**

### 2.1.2 MAINTENANCE



**Before maintenance intervention on any remote controlled equipments:**

- **always remove all electrical power from the equipment.**
  - **always follow lockout procedures.**
- 
- Keep the safety information for future reference. Always download the User instructions from our website, [www.tele-radio.com](http://www.tele-radio.com), for the latest available version.
  - If error messages are shown, it is very important to find out what caused them. Contact your representative for help.
  - Keep the product in a clean, dry place.
  - Do not try to open the encapsulation.
  - Always contact your representative for service and maintenance work on the product.
  - Keep contacts and antennas clean.
  - Wipe off dust using a clean, slightly damp cloth.
  - Never use cleaning solutions.
  - Check the encapsulation, foils and cable for damages every day. If you use the product although the encapsulation or foil is damaged, moisture can cause serious damage to the electronics.

## CHAPTER 2: TECHNICAL DATA

	T60TX-15DML	T60TX-15SML	T60TX-15DML-US
Power supply	9 V, 6F22 battery		
Radio frequency band	433.92 MHz		
Radio frequency output power (EIRP <sup>1</sup> )	< 0 dBm (1 mW)		≤ -14.4 dBm
IP code	IP65		
Operating temperature	-20...+55°C / -4...+131°F (humidity 10–90%)		
Dimensions	43 x 62 x 38 mm		

### 2.2 Radio transmission

Transmission continues during the time each function button is held down and is interrupted once the button is released.

<sup>1</sup>Equivalent isotropic radiated power.  $EIRP (W) = 1.64 \times ERP (W)$  or  $EIRP (dBm) = ERP (dBm) + 2.15$


## CHAPTER 3: PRODUCT GENERAL DESCRIPTION

NOTE: The pictures shown in this chapter are for illustrative purposes only. Depending on the configuration, the actual product appearance may differ from the basic model used for reference.

### 3.1 T60TX-15DML, T60TX-15DML-US, T60TX-15SML transmitters

NOTE: Applies to T60TX-15DML, T60TX-15DML-US, T60TX-15SML transmitters with base board TR383 and software versions SW0048-05v01 or higher (T60TX-15DML) and SW0048-04v01 or higher (T60TX-15SML).

#### 3.1.1 TRANSMITTER FRONT



1. LCD display
2. Function buttons
3. Door-number buttons
4. Shortcut functions

5. Door-number buttons

#### **Shortcut functions**

NOTE: Applies only to T60TX-15DML, T60TX-15DML-US

The \*-buttons and #-buttons are used for programming a shortcut (one selection per button) for a particular function.

• **Program a shortcut**

1. Press the button(s) corresponding to the door number to be programmed as short-cut.

Ex: for door 35, press 3 + 5.


2. Press the \* or #-button for more than 3 s.

*The display flashes.*

The door has been assigned to the shortcut button.

Ex: to activate door no. 35, press the shortcut button that has been programmed with this door number.

3.1.2 TRANSMITTER BACK



1. Product label

2. Clip

3. Battery 9 V, 6F22<sup>1</sup>

4. Code switch

**Code switch**

By default, all transmitters are delivered with the code (DIP) switches set in position "0" (0000000000). **If an ADJUSTABLE code is to be used to co-program the transmitter and receiver, it is very important to change the code (DIP) switches in the transmitter to its own, individual code combination before programming the transmitter code in the receiver.**

<sup>1</sup>Under back cover/on the PCB.

## 3.2 Program adjustable ID code with the code switch

NOTE: Applies only to T60TX-15DML, T60TX-15DML-US

To access the dip-switch

1. Disassemble the clip (2 screws)
2. Disassemble the back of the transmitter (1 screw) and gently pull to release it.
3. Remove the back of the transmitter.
4. Program the adjustable ID code.
5. Reassemble the back of the transmitter (1 screw).
6. Reassemble the clip (2 screws).

## CHAPTER 4: BATTERY

### 4.1 Battery precautions

Carefully read the following safety instructions and warnings before using, charging or disposing of the batteries.



**Batteries contain flammable substances such as lithium or other organic solvents, which may result in overheating, rupture or combustion. Failure to read and follow the below instructions may result in fire, personal injury and damage to property if charged or used improperly.**

#### 4.1.1 HANDLING AND STORAGE



- Risk of explosion if battery is replaced with a battery of an incorrect type.
- Do not short-circuit, disassemble, deform or heat batteries.
- Never attempt to charge a visibly damaged or frozen battery.
- Do not use or charge the battery if it appears to be leaking, deformed or damaged in any way.
- Do not solder directly onto batteries.
- Do not leave the battery in the charger once it is fully charged.
- Store in a cool location. Keep batteries away from direct sunlight, high temperature, and high humidity.
- Immediately discontinue use of the battery if, while using, charging, or storing the battery, the battery emits an unusual smell, feels hot, changes color, changes shape, or appears abnormal in any other way.
- Keep batteries out of reach of small children. Should a child swallow a battery, consult a physician immediately.

### 4.1.2 DISPOSAL

When discarding batteries, insulate the + and - terminals of batteries with insulating/ masking tape.



- **Do not place multiple batteries in the same plastic bag.**
- **Do not incinerate or dispose of batteries in fire.**
- **Do not place used batteries in the household waste. Dispose of used batteries in accordance with the applicable regulations and legal requirements.**
- **Batteries that have been disposed of incorrectly may short circuit, causing them to become hot, burst or ignite.**

## 4.2 Change the batteries


BATTERY TYPE: 1 x 9V, 6F22



**Do not recharge the batteries! Attempts to recharge the batteries may cause rupture, or leaking of hazardous liquids, which will corrode the equipment and result in minor or moderate injury.**

1. Disassemble the clip (2 screws)
2. Disassemble the back of the transmitter (1 screw) and gently pull to release it.
3. Remove the back of the transmitter.
4. Replace the battery.

NOTE: The cable must be positioned on the right of the battery compartment, to avoid any damage from the screw.



5. Reassemble the back of the transmitter (1 screw).
6. Reassemble the clip (2 screws).

## CHAPTER 5: WARRANTY, SERVICE, REPAIRS, AND MAINTENANCE

Tele Radio products are covered by a warranty against material, construction and manufacturing faults. During the warranty period, Tele Radio may replace the product or faulty parts. Work under warranty must be performed by Tele Radio or by an authorized service center specified by Tele Radio.

The following are **not** covered by the warranty:

- Faults resulting from normal wear and tear
- Parts of a consumable nature
- Products that have been subject to unauthorized modifications
- Faults resulting from incorrect installation and use
- Damp and water damage

### Maintenance

- Repairs and maintenance must be performed by qualified personnel
- Only use spare parts from Tele Radio
- Contact your representative for service or any other assistance
- Keep contacts and antennas clean
- Wipe off dust using a slightly damp, clean cloth

**NOTE:** Never use cleaning solutions or high-pressure washer.

## CHAPTER 5: REGULATORY INFORMATION

### 5.1 Europe

Applies to:

Models	with base board TR383 and software version
T60TX-15DML	SW0048-05v01 or higher
T60TX-15SML	SW0048-04v01 or higher

#### 5.1.1 CE MARKING

 Hereby, Tele-Radio i Lysekil AB, declares that the product(s) listed above is/are in compliance with the Radio Equipment Directive 2014/53/EU.

The latest version of the complete EU Declaration of Conformity is available at the following website: [www.tele-radio.com](http://www.tele-radio.com).

#### 5.1.2 WEEE DIRECTIVE



This symbol means that inoperative electrical and electronic products must not be mixed with household waste. The European Union has implemented a collection and recycling system for which producers are responsible. For proper treatment, recovery and recycling, please take this product to a designated collection point.

Tele Radio strives to minimize the use of hazardous materials, promotes reuse and recycling, and reduces emissions to air, soil and water. When a commercially viable alternative is available, Tele Radio strives to restrict or eliminate substances and materials that pose an environmental, health or safety risk.

## 5.2 United Kingdom

Applies to:

<b>Models</b>	<b>with base board TR383 and software version</b>
<b>T60TX-15DML</b>	SW0048-05v01 or higher
<b>T60TX-15SML</b>	SW0048-04v01 or higher

### 5.2.1 UKCA MARKING



**UK Importer: Tele Radio (UK) LTD**

1 SEYMOUR COURT,  
MANOR PARK, RUNCORN, WA7 1SY, UK  
Email: [sales@teleradiouk.com](mailto:sales@teleradiouk.com)

The latest version of the complete UKCA Declaration of Conformity is available on request. Contact your representative for more information.

## 5.3 North America

Applies to:

<b>Models</b>
<b>T60TX-15DML-US</b>

### 5.3.1 FCC STATEMENT

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

#### **Responsible Party – U.S. Contact Information**

Company: TELE RADIO AMERICA LLC

Address: 14895 NE 20th Ave, North Miami, FL 33181, United States

Telephone and email: +001 305-459-0763, america@teleradio.com

**IMPORTANT! Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which

the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

### 5.3.2 IC STATEMENT

This product complies with Industry Canada's licence-exempt RSSs. Operation is subject to the following two conditions:

- (1) This device may not cause interference; and
- (2) This device must accept any interference, including interference that may cause undesired operation of device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- 1) l'appareil ne doit pas produire de brouillage;
- 2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

### 5.3.3 FCC/IC LABELS

FCC ID: 2BC3H2519A

IC: 31388-2519A

## ANNEX A: INDEX

### A

About T20 and T60 receivers .....	6
-----------------------------------	---

### B

Battery precautions .....	13
Handling .....	13
Storage .....	13

### C

CE marking .....	16
------------------	----

### D

Dimensions .....	9
Disposal .....	14

### E

EIRP .....	9
------------	---

### F

FCC/IC labels .....	19
---------------------	----

### I

IC Statement .....	19
IP code .....	9

### M

Maintenance .....	15
-------------------	----

### O

Operating temperature .....	9
-----------------------------	---


### U

UKCA marking .....	17
--------------------	----

**W**

Warnings & restrictions .....	7
Maintenance .....	8
Operation .....	7
WEEE directive .....	16

This page intentionally left blank.



 **tele radio**<sup>®</sup>  
wireless solutions

These user instructions are subject to change without prior notice.  
Download the latest instructions from [www.tele-radio.com](http://www.tele-radio.com).